

Message

---

**From:** Nonresponsive based on revised scope  
**Sent:** 9/18/2019 5:48:54 PM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** Fwd: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Nonresponsive based on revised scope

---

**From:** Nonresponsive based on revised scope  
**Sent:** Wednesday, September 18, 2019 12:18:13 PM  
**To:** Nonresponsive based on revised scope  
**Subject:** FW: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

---

**From:** Nonresponsive based on revised scope  
**Sent:** Tuesday, September 17, 2019 5:31 PM  
**To:** Nonresponsive based on revised scope  
**Cc:** McDonald, Brandon <McDonald.Brandon@epa.gov>  
**Subject:** RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

**\*\* External Email \*\***

Any word on possible change in DV request for this?

Data packages are flowing in now. Processing them twice – once for “no validation” and then again for revised validation levels if you change your mind does cost us some time. If you don’t have a decision by tomorrow, we’ll start to process any zero level (no validation packages) so we don’t hold any data up.

Thanks

Nonresponsive based on revised scope

---

**From:** Nonresponsive based on revised scope  
**Sent:** Thursday, September 12, 2019 4:54 PM  
**To:** Nonresponsive based on revised scope  
**Cc:** McDonald, Brandon <McDonald.Brandon@epa.gov>; Roberson, Sharon <Roberson.Sharon@epa.gov>  
**Subject:** RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Nonresponsive based on revised scope

Thank you for the update.

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope

Sent: Thursday, September 12, 2019 11:49 AM

To: Nonresponsive based on revised scope

Cc: McDonald, Brandon <McDonald.Brandon@epa.gov>;

Nonresponsive based on revised scope

Roberson, Sharon <Roberson.Sharon@epa.gov>

Subject: RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

**\*\* External Email \*\***

I wanted to make sure we are all on the same page. I was incorrect data had already arrived for this case 48426 and already been provided as zero level to Christine Wagner OSC. It actually has already been archived and so will need to get called back.

None of this is issue should you decide to have these validated. You will have to work through Brandon and the ARF process. I assume it will just require modifying the current ARFs or creating a new one for DV only (probably just the former would be most efficient for everybody). We'll hold distribution today and tomorrow of any newly received data to give you a chance to get a final answer.

So just let us know.

Thanks

**Nonresponsive based on revised scope**

From: Nonresponsive based on revised scope

Sent: Wednesday, September 11, 2019 3:07 PM

To: Nonresponsive based on revised scope

Cc: McDonald, Brandon <McDonald.Brandon@epa.gov>;

Nonresponsive based on revised scope

Subject: RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Thanks Dean, we will let you know when we hear back.

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope

Sent: Wednesday, September 11, 2019 1:20 PM

To: Nonresponsive based on revised scope

Cc: McDonald, Brandon <McDonald.Brandon@epa.gov>;

Nonresponsive based on revised scope

Subject: RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

**\*\* External Email \*\***

Not a problem at all - that was why I posed the question now rather than once the data arrives. Now and over the next week is when I'll be looking at scheduling early October validation. This can fit in the queue easily as long as we know.

Thanks

## Nonresponsive based on revised scope

---

**From:** Nonresponsive based on revised scope

**Sent:** Wednesday, September 11, 2019 10:21 AM

**To:** Nonresponsive based on revised scope

**Cc:** McDonald, Brandon <McDonald.Brandon@epa.gov>, Nonresponsive based on revised scope

**Subject:** RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Nonresponsive based on revised scope

Please hold on DV request, we are waiting to hear from the site OSC as to whether she would like the data to be validated. Sorry for the confusion.

Thank you,

Nonresponsive based on revised scope

---

**From:** Nonresponsive based on revised scope

**Sent:** Wednesday, September 11, 2019 10:09 AM

**To:** Nonresponsive based on revised scope

**Cc:** McDonald, Brandon <McDonald.Brandon@epa.gov>, Nonresponsive based on revised scope

**Subject:** RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Nonresponsive based on revised scope

After receiving an email from [REDACTED] it looks like the OSC has recommended we still request validation to have data that will back-up the site sampling. Would ESAT be able to perform validation on these cases?

Thank you,

Nonresponsive based on revised scope

---

**From:** Nonresponsive based on revised scope

**Sent:** Tuesday, September 10, 2019 12:28 PM

**To:** Nonresponsive based on revised scope

**Cc:** McDonald, Brandon <McDonald.Brandon@epa.gov>, Nonresponsive based on revised scope

**Subject:** RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Nonresponsive based on revised scope

Yes, that is correct for Cases 48470, 48451, and 48426; they are all part of the same event (more parameters had been added after the initial ARF was submitted). Thank you for checking.

Nonresponsive based on revised scope

From: [Nonresponsive based on revised scope]  
Sent: Tuesday, September 10, 2019 12:22 PM  
To: [Nonresponsive based on revised scope]  
Subject: RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

**\*\* External Email \*\***

Just verifying – All Shiloh samples for the current events are listed as no validation on the ARFs. Can you confirm no DV is required?

I saw the note that this is confirmatory sampling so it makes sense that it was different from previous rounds. However, we have a particularly large sampling event in the same time frame with validation being scheduled now. I just wanted to make sure so we can accommodate everybody's schedule.

Thanks

**Nonresponsive based on revised scope**

From: [Nonresponsive based on revised scope]  
Sent: Monday, August 26, 2019 4:15 PM  
To: Fortune, Warren <Fortune.Warren@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>  
Cc: Curry, John <Curry.John@epa.gov>; R3 ESC-CLIENTS <R3\_ESCCLIENTS@epa.gov>; McDonald, Brandon <McDonald.Brandon@epa.gov>; Penix, Lisa <Penix.Lisa@epa.gov>  
**Nonresponsive based on revised scope**  
Subject: RE: CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

Good Afternoon,

One cooler was shipped this afternoon to Chemtech (tracking # 7760 7147 9376) for analysis of PCBs. Additionally, one cooler was shipped to Shealy (tracking # 7760 7148 1229) for metals analysis. The coolers are scheduled to be delivered tomorrow morning. I have attached the regional COCs for your convenience.

The field team will be collecting additional samples. Please let me know if you have any questions.

Thank you,

[Nonresponsive based on revised scope]

From: Fortune, Warren [mailto:Fortune.Warren@epa.gov]  
Sent: Tuesday, August 20, 2019 5:19 PM  
To: Wagner, Christine <Wagner.Christine@epa.gov>  
**Nonresponsive based on revised scope**  
Cc: Curry, John <Curry.John@epa.gov>; R3 ESC-CLIENTS <R3\_ESCCLIENTS@epa.gov>; McDonald, Brandon



<McDonald.Brandon@epa.gov>; Penix, Lisa <Penix.Lisa@epa.gov>

Nonresponsive based on revised scope

**Subject:** CT8758 - SHILOH CHURCH ROAD STIE - Final Lab Assignment Report

**\*\* External Email \*\***

**Client's Notification**

In regards to **RAS 48426**, a separate notification will be sent to the samplers from SMO with the CLP RAS Laboratory assignment for those parameters. If you have any questions regarding the RAS, please contact   
 Please follow the directions for the notification of the sample shipment for the RAS-CLP case.

If you have any questions, please let us know. Thanks and have a great day !

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.